

Circulation Pump 60W 1,1/2" 65L/min 8m 110°C RD-CWP82

Art. number: **070182** Barcode: **3800972032224**

 The circulation pump model RD-CWP82 is intended for use in heating systems in order to ensure a constant flow of fluids (water or other heat carrier) in closed circuits. It is an ideal solution for systems requiring efficient circulation with low energy consumption
The pump has a power of 60W, making it efficient enough to maintain optimal flow in small to medium-sized heating systems

Pump inlet and outlet are 1
1/2" threaded, allowing easy connection to standard heating systems

✓ The maximum head that the pump can achieve is 8 meters. This determines the height to which it can lift the fluid in the system

✓ The maximum flow that the pump can provide is 65 liters per minute (L/min). This means that it is suitable for systems that require a moderate volume of heat carrier circulation





TECHNICAL FEATURES			
Parameter	Measure Unit	Value	
Maximum delivery rate (l/h)	l/h	3900	
Maximum delivery height (m)	m	8	
Rated input power (W)	W	60	
Rated voltage (V)	V	230	
Rated voltage type		Corded - Electrical Grid	

LOGISTICS INFORMATION					
	• • • •	Width		Net	- .
Type of package	Quantity	Length Height	Volume	Brutto Tara	Barcode
pieces	1 pieces	13 x 19 x 20.8582 cm	0.00515 m3	2.6250 - 2.7500 - 0.1250 kg	3800972032224
carton	8 pieces	28 x 40 x 36.8 cm	0.04122 m3	22.0000 - 22.0000 - 0.0000 kg	38009720322242